TWO FAMILY HOUSE

CODE AUTHORITIES

ALL WORK TO CONFORM TO THE FOLLOWING REQUIREMENTS:

1. BUILDING CODE: 2015 INTERNETIONAL RESIDENTIAL CODE

2. MECHANICAL CODE: 2015 INTERNETIONAL MECHANICAL CODE

3. ELECTRICAL CODE: 2012 NFPA NEC.

4. 2015 INTERNETIONAL ENERGY CONSERVATION CODE 5. PLUMBING CODE: 2015 INTERNETIONAL PLUMBING CODE

PROJECT INFORMATION

PROJECT DESCRIPTION: PROJECT ADDRESS:

2 STORY TOWN HOUSE CANAL PARK DR SALISBURY, MD 21804

ZONING:

CONSTRUCTION TYPE:

LOT SIZE:



	DRAWING INDEX
Sheet Number	Sheet Name
A000	COVER SHEET
A001	1ST & 2ND FLOOR PLANS
A002	ROOF PLAN
A003	ELEVATIONS
A004	BUILDING SECTION
A005	SCHEDULES
A006	KITCHEN PLAN, ELEVATIONS
A009	MASTER BATHROOM 1ST FLOOR PLAN, ELEVATIONS
A010	BATH 1ST FLOOR PLAN, ELEVATIONS

	DRAWING INDEX			
Sheet Number	Sheet Number Sheet Name			
A012	BATHROOM 2ND FLOOR PLAN, ELEVATIONS			
A013	ISOMETRIC VIEWS			
E000	ELECTRICAL NOTES			
E001	1ST FLOOR POWER & LIGHTING PLAN			
E002	2ND FLOOR POWER & FLOOR LIGHTING PLAN			
E003	PANEL SCHEDULES			
M000	MECHANICAL NOTES			
M001	1ST FLOOR MECHANICAL PLAN			
M002	BASEMENT FLOOR MECHANICAL PLAN			
M003	3D WIEV			

	DRAWING INDEX					
Sheet Number	Sheet Name					
P000	PLUMBING NOTES					
P001	1ST FLOOR WATER SUPPLY PLAN & SANITARY PLAN					
P002	2ND FLOOR WATER SUPPLY PLAN & SANITARY PLAN					
P003	RISER DIAGRAMS & DETAILS					
S000	STRUCTURAL NOTES					
S001	FOUNDATION & SLAB PLAN					
S002	CIP SLAB PLAN					
S003	1ST FLOOR SRUCT WALL PLANS (SHOWING BEAMS ABOVE)					

DRAWING INDEX					
Sheet Number Sheet Name					
S004	2ND FLOOR FRAMING PLAN				
S005	2ND SRUCT WALL PLANS (SHOWING BEAMS ABOVE)				
S006	ROOF FRAMING PLAN				
S007	DETAILS				
S008	DETAILS				
S009	DETAILS				
S010	DETAILS				

GENERAL NOTES

1. ALL CONSTRUCTION SHALL COMPLY WITH THE 2015 IRC, 2012 IECC AND ALL LOCAL CODES AND ORDINANCES, AND ALL OTHER NORTH CAROLINA STATE RULES AND REGULATIONS, AS WELL AS ALL CITY, COUNTY AND FEDERAL RULES, REGULATIONS, ORDINANCES, SAFETY LAWS AND SANITARY ORDINANCES. IF THE DRAWINGS AND/OR THE SPECIFICATIONS ARE AT VARIANCE THEREWITH, THE CONTRACTOR SHALL SO NOTIFY THE ARCHITECT IMMEDIATELY

2. SLOPE GRADE AWAY FROM STRUCTURE A MIN. OF 5% FOR 5 FEET.

3. ROOF AND DECK DOWNSPOUTS, FOUNDATION PERIMETER DRAIN LINE, DRIVEWAY AND PATIOS SHALL BE CONNECTED TO A SUBTERRANEAN SYSTEM WHERE REQUIRED BY CURRENT STORM DRAINAGE ORDINANCE.

4. PRIOR TO INSPECTION OF ROOF FRAMING, ENGINEERED CALCULATIONS FOR THE MANUFACTURED ROOF TRUSSES, AS PER PLAN, WILL BE SUBMITTED TO THE BUILDING DEPARTMENT FOR APPROVAL.

5. THE GENERAL NOTES ARE COMPLEMENTARY TO THE GENERAL CONDITIONS AND SPECIFICATIONS. SHOULD CONFLICTS OCCUR, THEY SHALL BE BROUGHT TO THE ARCHITECT'S ATTENTION.

6. SHOULD CONFLICTS OCCUR BETWEEN THE DRAWINGS AND SPECIFICATIONS, DRAWINGS SHALL GOVERN IN MATTERS OF DIMENSION OR QUANTITY; SPECIFICATIONS SHALL GOVERN IN MATTERS OF MATERIALS, INSTALLATION OR FINISHES.

7. DURING CONSTRUCTION, REPORT ALL DISCREPANCIES AND/OR CONFLICTS IN THE DRAWINGS TO THE ARCHITECT IMMEDIATELY.

8. VERTICAL AND HORIZONTAL FIRE BLOCKING SHALL CONFORM TO VRC R608.2.

9. THE CONTRACTOR SHALL FURNISH AND INSTALL ALL MATERIALS AND LABOR REQUIRED TO COMPLETE THE WORK. EXCLUSION OF AN ITEM OR ITEMS DOES NOT IMPLY OMISSION. THE CONTRACTOR'S RESPONSIBILITY IS TO NOTIFY THE ARCHITEC T & OWNER OF THESE OMISSIONS PRIOR TO THE SUBMISSION OF BIDS. THE CONTRACTOR SHALL COMPLY WITH THE SPIRIT AND INTENT OF THESE DOCUMENTS AND SHALL COMPLETE THE WORK SATISFACTORILY AND IN A MANNER ACCEPTABLE TO THE OWNER. THESE DOCUMENTS ILLUSTRATE THE MINIMUM STANDARDS OF CONSTRUCTION AND THE CONTRACTOR SHALL MEET OR EXCEED NORMAL CONSTRUCTION TECHNIQUES AND STANDARDS FOR A BUILDING OF THIS TYPE.

10. NEITHER THE ARCHITECT, THE ENGINEER, OR THE OWNER SHALL BE RESPONSIBLE FOR THE CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES OR PROCEDURES OF THE CONTRACTOR; SAFETY PRECAUTIONS AND PROGRAMS OF CONTRACTOR; THE ACTS OR OMISSIONS OF THE CONTRACTOR; OR THE FAILURE OF THE CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE DRAWINGS OR SPECIFICATIONS.

11. VERIFY DIMENSIONS, GRADES, ELEVATIONS AND CRITICAL LOCATIONS, SUCH AS STRUCTURAL SUPPORTS, BEFORE COMMENCING WORK AFFECTED BY THEM. THE CONTRACTOR SHALL REPORT ANY DISCREPANCIES TO THE ARCHITECT.

12. THE CONTRACTOR SHALL THOROUGHLY REVIEW THE DRAWINGS, SPECIFICATIONS AND EXISTING SITE CONDITIONS AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES, ERRORS OR OMISSIONS PRIOR TO CONSTRUCTION.

13. A LICENSED LAND SURVEYOR OR CIVIL ENGINEER SHALL ESTABLISH BUILDING CORNERS, STRUCTURAL COLUMNS, POSTS, GRADES AND OTHER IMPROVEMENTS IN THE FIELD.

14. MANUFACTURED MATERIALS, EQUIPMENT, ETC., SHALL BE INSTALLED PER MANUFACTURES RECOMMENDATIONS, INSTRUCTIONS AND APPLICABLE ICBO REPORTS UNLESS OTHERWISE NOTED OR INSTRUCTED.

15. ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE BEST PRACTICES OF THE VARIOUS TRADES INVOLVED. ALL WORK SHALL BE ERECTED AND INSTALLED PLUMB, LEVEL, SQUARE AND TRUE IN PROPER ALIGNMENT.

16. THE CONTRACTOR SHALL NOT PROCEED WITH ANY ADDITIONAL WORK REQUIRING ADDITIONAL COMPENSATION BEYOND THE CONTRACT AMOUNT WITHOUT WRITTEN AUTHORIZATION FROM THE OWNER. FAILURE TO OBTAIN AUTHORIZATION SHALL INVALIDATE ANY CLAIM FOR EXTRA COMPENSATION.

17. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DISTRIBUTION OF THE DRAWINGS AND SPECIFICATIONS TO ALL TRADES UNDER HIS JURISDICTION.

18. SUBSTITUTIONS, REVISIONS OR CHANGES MUST HAVE PRIOR WRITTEN APPROVAL BY THE THE ARCHITECT.

19. NO WORK DEFECTIVE IN CONSTRUCTION OR QUALITY OR DEFICIENT IN ANY REQUIREMENT OF THE DRAWINGS OR NOTES WILL BE ACCEPTABLE AS A CONSEQUENCE OF THE ARCHITECTS FAILURE TO DISCOVER OR POINT OUT DEFECTS OR DEFICIENCIES DURING CONSTRUCTION. DEFECTIVE WORK REVEALED WITH IN THE TIME REQUIRED BY GUARANTEES SHALL BE REPLACED BY WORK CONFORMING WITH THE INTENT OF THE CONTRACT DOCUMENTS. NO PAYMENT, EITHER PARTIAL OR FINAL, SHALL BE CONSTRUED AS AN ACCEPTANCE OF DEFECTIVE WORK OR IMPROPER MATERIALS.

20. IN THE EVENT CERTAIN FEATURES OF CONSTRUCTION ARE NOT FULLY SHOWN ON THE DRAWINGS OR CALLED FOR IN THE NOTES OR SPECIFICATIONS, THEN THE CONSTRUCTION SHALL BE SIMILAR AND OF THE SAME CHARACTER AS SIMILAR CONDITIONS THAT ARE SHOWN OR CALLED FOR.

21. THE CONTRACTOR SHALL DO ALL WORK IN ACCORDANCE WITH THE DRAWINGS AND SPECIFICATIONS APPROVED BY THE BUILDING OFFICIAL. THE APPROVED DRAWINGS AND SPECIFICATIONS SHALL NOT BE CHANGED OR MODIFIED WITHOUT THE APPROVAL OF THE BUILDING OFFICIAL.

22. THE CONTRACTOR SHALL NOTIFY THE OWNER UPON COMPLETION OF THE WORK. AT THAT TIME THE OWNER SHALL COMPLETE A "PUNCH LIST" OF CORRECTIONS. THE OWNERS FINAL ACCEPTANCE WILL BE CAUSE FOR FINAL PAYMENT UNDER TERMS OF THE OWNER/CONTRACTOR AGREEMENT.

23. THE PROJECT SHALL BE LEFT COMPLETELY CLEAN AND CLEAR TO THE SATISFACTION OF THE OWNER.

24. ALL WORK AND MATERIAL SHALL BE NEW AND UNUSED AND OF THE HIGHEST QUALITY IN EVERY RESPECT UNLESS OTHERWISE AUTHORIZED BY THE ARCHITECT. VICINITY MAP


25. CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING FINAL CITY APPROVALS AND A CERTIFICATE OF OCCUPANCY.


CC Pa M OWNHOME Canal F

MARK	DATE	DESCRIPTION			
ISSUE:					
PROJEC	T NO:				
CAD FILE	Ξ:				
DATE:					
DRAWN BY:					
CHECKED BY:					
COPYRIGHT:					

COVER SHEET

DRAWING SHEET NO:





TOWNHOME COMMUNITY Canal Park Dr Salisbury, MD 21804 MARK DATE DESCRIPTION PROJECT NO:

ROOF PLAN

DRAWING SHEET NO:

ISSUE:

CAD FILE:


DRAWN BY:


CHECKED BY:


COPYRIGHT:

SHEET TITLE:

DATE:







WINDOW SCHEDULE									
MARK	MATERIAL	TYPE	HEIGHT	WIDTH	AREA	U VALUE	SHGC	COUNT	REMARKS
			·						
1	WOOD	CASEMENT	5' - 6"	4' - 0"	22 SF	0.3	0.3	4	NEW
2	WOOD	CASEMENT	5' - 6"	4' - 6"	25 SF	0.3	0.3	8	NEW
3	WOOD	CASEMENT	3' - 2"	3' - 0"	10 SF	0.3	0.3	2	NEW
4	WOOD	CASEMENT	5' - 6"	8' - 0"	44 SF	0.3	0.3	2	NEW
5	WOOD	CASEMENT	5' - 6"	7' - 0"	39 SF	0.3	0.3	2	NEW

	DOOR SCHEDULE										
MARK	MATERIAL	TYPE	WIDTH	HEIGHT	THICKNESS	AREA	U-VALUE	SHGC	COUNT	HARDWARE	REMARKS
1	ALUMINIUM	SINGLE DOOR	3' - 0"	6' - 8"	0' - 2"	20 SF	0.3	0.3	2	LOCKED	NEW
2	WOOD	SINGLE DOOR	2' - 6"	6' - 8"	0' - 2"	17 SF			8		NEW
4	WOOD	4 PANEL DOOR	5' - 0"	7' - 0"	0' - 1 1/2"	35 SF			2		NEW
5	ALUMINIUM, GLASS	DOUBLE SLIDING DOOR	7' - 0"	7' - 0"	0' - 2"	49 SF	0.3	0.3	2	LOCKED	NEW
6	WOOD	SINGLE DOOR	2' - 10"	8' - 0"	0' - 2"	23 SF			8	LOCKED	NEW
7	WOOD	4 PANEL DOOR	6' - 0"	7' - 0"	0' - 1 1/2"	42 SF			4		NEW
8	WOOD	DOOR OPENING	3' - 0"	7' - 0"	0' - 2"	21 SF			2		

WINDOW U-VALUES SHALL CONFORM TO LOCAL ENERGY CONSERVATION CODE. LISTED U-VALUES SUPPLIED BY WINDOW MANUFACTURER.

WINDOW SHGC VALUES SHALL CONFORM TO CALIFORNIA ENERGY CONSERVATION CODE. LISTED SHGC VALUES SUPPLIED BY WINDOW MANUFACTURER.

ALL WINDOWS SHALL BE LOW-E4 (HARD COAT) COATED, ARGON FILLED

PER 402.4.4, FENESTRATION THAT IS NOT SITE BUILT SHALL BE LISTED AND LABELED AS MEETING AAMA PER 402.4.2 & 402.4.2.1, BUILDING ENVELOPE TIGHTNESS SHALL BE VERIFIED BY A BLOWER DOOR TEST

PER 303.2 & 402.2.8, SLAB EDGE INSULATION SHALL BE INSTALLED PER MANUFACTURER'S INSTRUCTIONS PER 303.2, ALL WALL INSULATION SHALL BE INSTALLED PER MANUFACTUER'S INSTRUCTIONS

1 1A	STUCCO BRICK TILE (TYPE 1A) 15/32" MGO BOARD BUILDING WRAP 7/16" OSB SHEATHING R-19 BATT INSULATION 2x6 @16" WOOD STUD 1/2" GYPSUM BOARD SHEETROOK
2 2A	SHEETROOK 1/2" GYPSUM BOARD 2x4 @16" WOOD STUD 2x6 @16" WOOD STUD (2A)
3	STUCCO 15/32" MGO BOARD BUILDING WRAP 7/16" OSB SHEATHING R-19 BATT INSULATION 2x6 @16" WOOD STUD
4	1HR FIRE RATED WALL SHEETROOK 2x6 @16" WOOD STUD 5/8" TYPE "X" G.W.B.

SCHEDULES

TOWNHOME COMMUNITY Canal Park Dr Salisbury, MD 21804

DRAWING SHEET NO:

MARK DATE DESCRIPTION

ISSUE:

PROJECT NO:

CAD FILE:


DRAWN BY:

CHECKED BY:


COPYRIGHT:


SHEET TITLE:

DATE:




7' - 2"






KITCHEN ELEVATION 3 1/2" = 1'-0"



KITCHEN ELEVATION 2

1/2" = 1'-0"



PROJECT NO: CAD FILE:


DATE:

DRAWN BY: CHECKED BY:


COPYRIGHT: SHEET TITLE:

> KITCHEN PLAN, **ELEVATIONS**


DRAWING SHEET NO:




TOWNHOME COMMUNITY Canal Park Dr Salisbury, MD 21804




BATH 1ST FLOOR PLAN 1/2" = 1'-0"



BATH 1ST FLOOR ELAVATION 2 1/2" = 1'-0"




BATH 1ST FLOOR ELAVATION 3 1/2" = 1'-0"



BATH 1ST FLOOR ELAVATION 4

1/2" = 1'-0"




BATH 1ST FLOOR ELAVATION 5 1/2" = 1'-0"

		Canal Park Dr Salisbury, MD 21804
MARK	DATE	DESCRIPTION
ISSUE:		
PROJEC	T NO:	
CAD FILE	≣:	
DATE:		
DRAWN	BY:	
CHECKE	D BY:	
COPYRIC	GHT:	

BATH 1ST FLOOR PLAN, ELEVATIONS


DRAWING SHEET NO:

SHEET TITLE:




BATHROOM 2ND FLOOR PLAN

1/2" = 1'-0"




BATHROOM 2ND FLOOR ELEVATION 2

1/2" = 1'-0"




BATHROOM 2ND FLOOR ELEVATION 3

1/2" = 1'-0"



BATHROOM 2ND FLOOR ELEVATION 4

1/2" = 1'-0"



BATHROOM 2ND FLOOR ELEVATION 5

1/2" = 1'-0"

		Canal Park Dr Salisbury, MD 21804				
MARK	DATE	DESCRIPTION				
ISSUE:	ISSUE:					
PROJEC	PROJECT NO:					
CAD FILE	CAD FILE:					
DATE:						
DRAWN	BY:					
CHECKE	CHECKED BY:					

BATHROOM 2ND FLOOR PLAN, ELEVATIONS

DRAWING SHEET NO:

COPYRIGHT:

SHEET TITLE:

